

PATENT 2577-0106P

IN THE U.S. PATENT AND TRADEMARK OFFICE

APPLICANT:

George N. VALKANAS et al. CONF. NO.: 7933

SERIAL NO:

09/205,297

GROUP: 1724

FILED:

Decemper 4, 1938

EXAMINER: I. Cintins

FOE:

METHOD AND PRODUCTS TO ABSORB OIL AND ORGANIC

SOLVENTS FROM WATER AND FROM SEA

DECLARATION UNDER 37 C.F.R. § 1.132

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

I, Toannis Konstantakopoulos, declare the following.

I am a co-inventor of the disclosure of the above-captioned application. I am fully knowledgeable of the disclosure of the application and field of art of the present invention. I have read and understand the Office Action dated November 6, 2001 and the references cited therein, i.e., Meitzner et al., USP 4,297,220, Vulliez-Sermet et al., USF 3,979,287, Rosenbaum, USP 5,460,792, and Schwarz et al., USP 5,017,436.

The present invention is drawn to a macroreticular polymer, a process for preparing said macroreticular polymer, and the use of said macroreticular polymen as an absorbent. One of the preferred uses of the inventive apsorbant is in the removal of

Application No.: 09/205,297

=>

only pollotion resulting from spillage from tanker ships. The inventive magneticular polymers can absorb up to 30 to 60 times their weight of oil and organic solvents intermolecularly. An important aspect of the present invention is that the macroreticular prosslink polymers have an "Mo" of 50,000. "Mo" is known to the skilled artisan as being a measure of the molecular weight along the polymer between crosslinks, and is strongly related to the absorption capability of the crosslinked polymer.

In order to obtain crosslinked polymers having an Mc of 50,000, the inventive process involves the crosslinking of **preformed** polymers. This is a post-polymerization crosslinking step.

In each of the cited references, the crosslinking reaction is performed at the same time as the polymerization reaction. In my opinion, the concurrent polymerization and crosslinking reactions would not give an Mo of 50,000. Accordingly, the inventive macroreticular prosslinked polymers are structurally distinct from the polymers of the cited references. Since none of Meitzner et al., Vulliez-Sermet et al., Rosenbaum or Schwarz et al. teach or suggest to perform the crosslinking reaction in a post polymerication step, the presently claimed macroreticular

Application No.: 09/205,297

product having an Mc of 50,000, is not made obvious by the cited references.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are publishable by fine or imprisonment, or both. under Section 1001 of Title 18 of the United States Code and that such willful false statements may jecpardize the validity of the application or any patent issuing thereon.

This 24 day of $3a_1$, 2002

By: I Classfantakepoulus